

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

BEST AVAILABLE COPYCLAIM AMENDMENTS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (withdrawn): A storage capacitor, comprising:

a lower capacitor electrode;

----- a storage dielectric; and

an upper capacitor electrode;

at least one of said lower and upper capacitor electrodes being a conductive layer;

a doped layer selected from the group consisting of a SiGe layer, a SiC layer, and a GaAs layer or a doped filling selected from the group consisting of a SiGe filling, a SiC filling, and a GaAs filling disposed between said conductive layer and said storage dielectric; and

wherein a doped SiGe layer is not disposed between said storage dielectric and said upper capacitor electrode.

Claim 2 (withdrawn): The storage capacitor according to claim 1 configured to form a part of a DRAM memory cell.

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

Claim 3 (withdrawn): The storage capacitor according to claim 1, wherein a dopant for said SiGe layer is selected from the group consisting of Al, Ga, In, Tl, B, As, Sb, and P.

Claim 4 (withdrawn): The storage capacitor according to claim 1, wherein a dopant for said SiC layer is selected from the group consisting of Al, Ga, In, Tl, B, As, Sb, and P.

Claim 5 (withdrawn): The storage capacitor according to claim 1, wherein said conductive layer is formed of a material selected from the group consisting of metal silicide, metal nitride, metal carbide, WN, WSiN, WC, TiN, TaN, and TaSiN.

Claim 6 (withdrawn): The storage capacitor according to claim 1, wherein said storage dielectric contains a material selected from the group consisting of silicon nitride, silicon dioxide, silicon oxynitride, metal oxide, aluminum oxide, Pr_2O_3 , Nd_2O_3 , Al_2O_3 with an addition of Hf, Zr, Y or La.

Claim 7 (withdrawn): The storage capacitor according to claim 1, wherein said doped layer has a dopant distribution with a gradient.

Claim 8 (withdrawn): A storage capacitor, comprising:

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

a lower capacitor electrode;

a storage dielectric; and

an upper capacitor electrode;

said lower capacitor electrode being a conductive layer;

a doped layer selected from the group consisting of a SiGe layer, a SiC layer, and a GaAs layer or a doped filling
_____ selected from the group consisting of a SiGe filling, a SiC filling, and a GaAs filling disposed on a side of said conductive layer remote from said storage dielectric; and

wherein a doped SiGe layer is not disposed between said storage dielectric and said upper capacitor electrode.

Claim 9 (withdrawn): The storage capacitor according to claim 8 configured to form a part of a DRAM memory cell.

Claim 10 (withdrawn): The storage capacitor according to claim 8, wherein a dopant for said SiGe layer is selected from the group consisting of Al, Ga, In, Tl, B, As, Sb, and P.

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

Claim 11 (withdrawn): The storage capacitor according to claim 8, wherein a dopant for said SiC layer is selected from the group consisting of Al, Ga, In, Tl, B, As, Sb, and P.

Claim 12 (withdrawn): The storage capacitor according to claim 8, wherein said conductive layer is formed of a material selected from the group consisting of metal silicide, metal nitride, metal carbide, WN, WSiN, WC, TiN, TaN, and TaSiN.

Claim 13 (withdrawn): The storage capacitor according to claim 8, wherein said storage dielectric contains a material selected from the group consisting of silicon nitride, silicon dioxide, silicon oxynitride, metal oxide, aluminum oxide, Pr_2O_3 , Nd_2O_3 , Al_2O_3 with an addition of Hf, Zr, Y or La.

Claim 14 (withdrawn): The storage capacitor according to claim 8, wherein said doped layer has a dopant distribution with a gradient.

Claim 15 (withdrawn): A storage capacitor, comprising:

a conductive layer forming a lower capacitor electrode;

a storage dielectric;

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

an upper capacitor electrode; and

a doped Si layer disposed between said conductive layer and
said storage dielectric.

Claim 16 (withdrawn): The storage capacitor according to
claim 15 configured to form a part of a DRAM memory cell.

Claim 17 (withdrawn): The storage capacitor according to
claim 15, wherein a dopant for said Si layer is selected from
the group consisting of Al, Ga, In, Tl, B, As, Sb, and P.

Claim 18 (withdrawn): The storage capacitor according to
claim 15, wherein said conductive layer is formed of a
material selected from the group consisting of metal
silicide, metal nitride, metal carbide, WN, WSiN, WC, TiN,
Ta₂N, and TaSiN.

Claim 19 (withdrawn): The storage capacitor according to
claim 15, wherein said storage dielectric contains a material
selected from the group consisting of silicon nitride,
silicon dioxide, silicon oxynitride, metal oxide, aluminum
oxide, Pr₂O₃, Nd₂O₃, Al₂O₃ with an addition of Hf, Zr, Y or La.

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

Claim 20 (withdrawn): The storage capacitor according to claim 15, wherein said Si layer contains a dopant introduced with a gradient.

Claim 21 (withdrawn): A memory cell, comprising:

a storage capacitor according to claim 1 formed as a trench capacitor with an upper capacitor electrode;

a selection transistor having a source electrode, a drain electrode, a gate electrode, and a conductive channel; and

wherein said upper capacitor electrode is electrically connected to one of said source and drain electrodes.

Claim 22 (withdrawn): A memory cell, comprising:

a storage capacitor according to claim 8 formed as a trench capacitor with an upper capacitor electrode;

a selection transistor having a source electrode, a drain electrode, a gate electrode, and a conductive channel; and

wherein said upper capacitor electrode is electrically connected to one of said source and drain electrodes.

Claim 23 (withdrawn): A memory cell, comprising:

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

a storage capacitor according to claim 15 formed as a trench capacitor with an upper capacitor electrode;

a selection transistor having a source electrode, a drain electrode, a gate electrode, and a conductive channel; and

wherein said upper capacitor electrode is electrically connected to one of said source and drain electrodes.

Claim 24 (withdrawn): A memory cell, comprising:

a storage capacitor according to claim 1 formed as a stacked capacitor and having the lower capacitor electrode applied on a connection structure;

a selection transistor having a source electrode, a drain electrode, a gate electrode, and a conductive channel; and

wherein said lower capacitor electrode is electrically conductively connected to one of said source and drain electrodes via said connection structure.

Claim 25 (withdrawn): A memory cell, comprising:

a storage capacitor according to claim 8 formed as a stacked capacitor and having the lower capacitor electrode applied on a connection structure;

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

a selection transistor having a source electrode, a drain electrode, a gate electrode, and a conductive channel; and

wherein said lower capacitor electrode is electrically conductively connected to one of said source and drain electrodes via said connection structure.

Claim 26 (withdrawn): A memory cell, comprising:

a storage capacitor according to claim 15 formed as a stacked capacitor and having the lower capacitor electrode applied on a connection structure;

a selection transistor having a source electrode, a drain electrode, a gate electrode, and a conductive channel; and

wherein said lower capacitor electrode is electrically conductively connected to one of said source and drain electrodes via said connection structure.

Claim 27 (withdrawn): A storage capacitor, comprising:

a lower capacitor electrode;

a storage dielectric; and

an upper capacitor electrode;

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

at least one of said lower and upper capacitor electrodes
being a conductive filling;

a doped layer selected from the group consisting of a SiGe
layer, a SiC layer, and a GaAs layer disposed between said
conductive filling and said storage dielectric; and

wherein a doped SiGe layer is not disposed between said
storage dielectric and said upper capacitor electrode.

Claim 28 (withdrawn): The storage capacitor according to
claim 27 configured to form a part of a DRAM memory cell.

Claim 29 (withdrawn): The storage capacitor according to
claim 27, wherein a dopant for said SiGe layer is selected
from the group consisting of Al, Ga, In, Tl, B, As, Sb, and
P.

Claim 30 (withdrawn): The storage capacitor according to
claim 27, wherein a dopant for said SiC layer is selected
from the group consisting of Al, Ga, In, Tl, B, As, Sb, and
P.

Claim 31 (withdrawn): The storage capacitor according to
claim 27, wherein said conductive layer is formed of a
material selected from the group consisting of metal

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

silicide, metal nitride, metal carbide, WN, WSiN, WC, TiN, TaN, and TaSiN.

Claim 32 (withdrawn): The storage capacitor according to claim 27, wherein said storage dielectric contains a material selected from the group consisting of silicon nitride, silicon dioxide, silicon oxynitride, metal oxide, aluminum oxide, Pr_2O_3 , Nd_2O_3 , Al_2O_3 with an addition of Hf, Zr, Y or La.

Claim 33 (withdrawn): The storage capacitor according to claim 27, wherein said doped layer has a dopant distribution with a gradient.

Claim 34 (withdrawn): A memory cell, comprising:

a storage capacitor according to claim 27 formed as a trench capacitor with an upper capacitor electrode;

a selection transistor having a source electrode, a drain electrode, a gate electrode, and a conductive channel; and

wherein said upper capacitor electrode is electrically connected to one of said source and drain electrodes.

Claim 35 (withdrawn): A memory cell, comprising:

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

a storage capacitor according to claim 27 formed as a stacked capacitor and having the lower capacitor electrode applied on a connection structure;

a selection transistor having a source electrode, a drain electrode, a gate electrode, and a conductive channel; and wherein said lower capacitor electrode is electrically conductively connected to one of said source and drain electrodes via said connection structure.

Claim 36 (currently amended): A storage capacitor, comprising:

a substrate having a trench formed therein, said trench having sidewalls, a bottom, an upper portion and a lower portion ~~with sidewalls~~;

a collar disposed at said sidewalls in said upper portion of said trench;

a lower capacitor electrode;

a storage dielectric ~~covering~~ disposed at said sidewalls of said lower portion of said trench, at said bottom of said trench and at said collar in said upper portion of said trench;

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

an upper capacitor electrode being a conductive layer disposed at said ~~sidewalls of said lower portion of said trench and at said bottom of said trench~~ storage dielectric in said lower portion of said trench, said conductive layer being formed of a material selected from the group consisting of metal silicide, metal nitride, metal carbide, WN, WSiN, WC, TiN, TaN, and TaSiN;

a doped layer selected from the group consisting of a SiGe layer, a SiC layer, and a GaAs layer or a doped filling selected from the group consisting of a SiGe filling, a SiC filling, and a GaAs filling disposed on a side of said conductive layer remote from said storage dielectric, and said doped layer or said doped filling covering said upper capacitor electrode and being disposed at said storage dielectric at said upper portion of said trench; and

~~said storage dielectric and said upper capacitor electrode having no doped SiGe layer disposed therebetween~~ being disposed between said collar and said doped layer or said doped filling in said upper portion of said trench; and

said doped layer or said doped filling being suitably doped to reduce an interfacial stress between said storage dielectric and said conductive layer.

Appl. No. 10/780,075
Amdt. dated 8/17/06
Reply to Office action of 5/17/06

Claim 37 (previously presented): The storage capacitor according to claim 36, configured to form a part of a DRAM memory cell.

Claim 38 (previously presented): The storage capacitor according to claim 36, wherein a dopant for said SiGe layer is selected from the group consisting of Al, Ga, In, Tl, B, As, Sb, and P.

Claim 39 (canceled).

Claim 40 (previously presented): The storage capacitor according to claim 36, wherein said storage dielectric contains a material selected from the group consisting of silicon nitride, silicon dioxide, silicon oxynitride, metal oxide, aluminum oxide, Pr_2O_3 , Nd_2O_3 , Al_2O_3 with an addition of Hf, Zr, Y or La.

Claim 41 (previously presented): The storage capacitor according to claim 36, wherein said doped layer has a dopant distribution with a gradient.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.